

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

**Auto Magic**  
Professional Car Care®

## 1. Identification

**Product Name:** Water Spot Remover  
**Product identifier:** 600  
**Relevant identified uses of the substance or mixture and uses advised against:** Automotive detailing

**Chemical Manufacturer / Importer / Distributor:** ITW Evercoat  
a division of Illinois Tool Works Inc.  
1275 Round Table Drive  
Dallas, TX 75247

**Emergency telephone number:** CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard  
Symbols:



**GHS Classification:** Skin Corrosion/Irritation Category 1A  
Serious Eye Damage/Eye Irritation Category 1  
Acute Toxicity - Inhalation Dust / Mist Category 2  
Acute Toxicity - Inhalation Vapour Category 2  
Acute Toxicity - Dermal Category 2  
Acute Toxicity - Oral Category 2

**GHS Signal Word:** Danger

**GHS Hazard Statements:** Fatal if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.  
Fatal if inhaled.

**GHS Precautionary Statements:**

**Safety Precautions:** Do not breathe dust/fume/gas/mist/vapours/spray.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

## First Aid Measures:

Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wear respiratory protection.  
IF SWALLOWED: Immediately call a POISON CENTER/doctor/....  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
IF ON SKIN: Gently wash with plenty of soap and water.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.  
Rinse skin with water/shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor/....  
Specific treatment is urgent (see on this label).  
Specific treatment (see on this label).  
Specific measures (see on this label).  
Rinse mouth.  
Remove/Take off immediately all contaminated clothing.  
Wash contaminated clothing before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

## Storage:

## Disposal:

## Hazards not otherwise classified:

No data available

### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Orthophosphoric acid	7664-38-2	10 - 30
Ethylene glycol monobutyl ether	111-76-2	1 - 5
hydrogen fluoride	7664-39-3	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

## 4. First-aid measures

<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. This corrosive material can cause immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
<b>Skin Contact:</b>	Wash with soap and water under a drench shower. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately.
<b>Inhalation:</b>	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
<b>Ingestion:</b>	Corrosive. Do not induce vomiting! Drink one glass of water followed by milk if available. Seek medical attention immediately and give the medical care provider with this MSDS.
<b>Immediate medical attention and special treatment needed,:</b>	No additional first aid information available

## 5. Fire-fighting measures

<b>Unsuitable extinguishing media:</b>	No data available
<b>Fire and/or Explosion Hazards:</b>	Vapors may form flammable/explosive mixture with air. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Container may explode in heat of fire.
<b>Hazardous Combustion Products:</b>	Phosphorus compounds
<b>Special protective equipment and precautions for fire-fighters:</b>	Will not burn, no special instructions available. Use methods appropriate for surrounding materials.

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

**Methods and material for containment and cleaning up:**

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

## 7. Handling and storage

**Precautions for safe handling:**

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse

**Conditions for safe storage:**

Store in a cool dry place Store in a tightly closed container

**Materials to Avoid/Chemical**

Strong oxidizing agents Strong alkalies Metals

**Incompatibility::**

## 8. Exposure controls/personal protection

### Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Orthophosphoric acid	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup> STEL
Ethylene glycol monobutyl ether	50 ppm	20 ppm	

**Appropriate engineering controls.:**

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is

# Safety Data Sheet

**Product Name:** Water Spot Remover

**Product identifier:** 600

**Revision Date:** 07-18-2015

**Replaces:**

required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower.

**Eye Protection:**

Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield

**Skin Protection:**

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

**Respiratory Protection:**

Respiratory protection must be used when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.

**Other Protective Equipment:**

Wear goggles and a Face shield Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

**General Hygiene Conditions:**

As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse

## 9. Physical and chemical properties

<b>Appearance (physical state):</b>	Liquid
<b>Color:</b>	Clear
<b>Odor:</b>	Glycol ether
<b>Odor threshold:</b>	No data available
<b>pH:</b>	1.5
<b>Melting Point/Freezing Point (°C):</b>	No data available

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

<b>Initial Boiling Point and Boiling Range (°C):</b>	260
<b>Flash Point (°C):</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper Flammable/Explosive Limit:</b>	No data available
<b>Lower Flammable/Explosive Limit:</b>	No data available
<b>Vapor Pressure:</b>	0.03 MMHG@20C/68F
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	1.14
<b>Solubility(ies):</b>	Complete; 100%
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Auto-ignition Temperature (°C):</b>	No data available
<b>Decomposition Temperature::</b>	No data available
<b>Viscosity:</b>	No data available

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Conditions to avoid:</b>	None known. Contamination.
<b>Incompatible materials:</b>	Strong oxidizing agents Strong alkalis Metals
<b>Hazardous decomposition products:</b>	Phosphorus compounds

## 11. Toxicological information

### Immediate (Acute) Health Effects by Route of Exposure:

<b>Inhalation Irritation:</b>	Can be corrosive to the respiratory tract causing severe irritation and tissue damage.
<b>Inhalation Toxicity:</b>	Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is possible at high doses.
<b>Skin Contact:</b>	Corrosive to skin tissue. Can cause chemical burns.
<b>Skin Absorption:</b>	No absorption hazard in normal industrial use.
<b>Eye Contact:</b>	Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can quickly lead to permanent injury including blindness.
<b>Ingestion Irritation:</b>	Corrosive to tissue. Can cause severe and permanent damage to mouth, throat, stomach. Aspiration may lead to lung damage.
<b>Ingestion Toxicity:</b>	Toxic if swallowed. May cause target organ failure and/or death.

### Long-Term (Chronic) Health Effects:

<b>Carcinogenicity:</b>	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
<b>Reproductive and Developmental Toxicity:</b>	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract causing severe irritation and tissue damage. Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs").

**Skin Contact:** Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical burns.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

## Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.

**Persistence and degradability:** No data available

**Mobility in soil:** No data available

**Other adverse effects (such as hazardous to the ozone layer):** No data available

## Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

## 13. Disposal considerations

**Waste treatment methods (including packaging):** Dispose of in a landfill. Disposal is not likely to be regulated.

## 14. Transport information

**UN proper shipping name:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

# Safety Data Sheet

Product Name: Water Spot Remover

Product identifier: 600

Revision Date: 07-18-2015

Replaces:

## 15. Regulatory information

**TSCA Status:** All components in this product are on the TSCA Inventory.

### Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Orthophosphoric acid	7664-38-2	N	N	Y	N

## 16. Other information, including date of preparation or last revision.

**Revision Date:** 07-18-2015

**Revision Number:** 5

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances