Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:



1. Identification

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5

Relevant identified uses of the

substance or mixture and uses

advised against:

Automotive reconditioning product

Chemical Manufacturer / Auto Wax - An ITW Company

Importer: Auto Magic®

1275 Round Table Drive

Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

Hazards not otherwise MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive

classified: exposure to skin.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
No Hazardous Ingredients			

the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:

4. First-aid measures

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eye with water for 20 minutes. Get medical attention. Seek immediate

medical attention.

Skin Contact: Wash with soap and water. Wash affected area thoroughly with

soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure. If inhaled, remove victim

from exposure to a well-ventilated area.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

medical attention if symptoms develop. Provide medical care provider with this MSDS. Call a physician or poison control center

immediately.

Immediate medical attention and special treatment needed,:

No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon

dioxide

Unsuitable extinguishing media: No data available

Fire and/or Explosion Hazards: Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

Hazardous Combustion

Products:

Special protective equipment Do r

and precautions for fire-

fighters:

Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

De not enter fire erec without proper protection including celf

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations

found in Section VIII of this MSDS.

No special spill clean-up considerations. Collect and discard in

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:

containment and cleaning up: regular trash. SMALL SPILL: Contain and collect with absorbent.

> LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil,

> entering sanitary sewers, storm sewers, and drainage systems, and

entering bodies of water or ditches that lead to waterways.

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity. Keep out of the

reach of children.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

STORAGE TEMPERATURE: 0°C (32°F) Minimum to 50°C (122°F)

Maximum. Shelf life is one year.

Materials to Avoid/Chemical

Incompatibility::

Strong oxidizing agents Strong acids Strong alkalies

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			
Appropriate engineering controls.:	No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.		
Eye Protection:	Wear safety glasses when handling this product. Safety Glasses or goggles with splash guards or side shields.		
Skin Protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use Nitrile/ Vinyl gloves		
Respiratory Protection:	No respiratory protection required under normal conditions of use. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.		
Other Protective Equipment:	Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves		
General Hygiene Conditions:	Keep out of the reach of child	dren.	

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:

9. Physical and chemical properties

Appearance (physical state):LiquidColor:BlueOdor:Fruity

Odor threshold: No data available

pH: ~ 6 to 9

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 100 Flash Point (°C): 210

Evaporation Rate:

Flammability (solid, gas):

Upper Flammable/Explosive Limit:

No data available

17.5 MMHG@20C/68F

Vapor Density:

No data available

Relative Density: 1

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

Decomposition Temperature::

No data available

No data available

No data available

No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Conditions to avoid: Temperatures above the high flash point of this combustible

material in combination with sparks, open flames, or other sources

of ignition. Contamination.

Incompatible materials: Strong oxidizing agents Strong acids Strong alkalies

Hazardous decomposition Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

products:

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and

eye contact):

Skin contact, Eye contact, Ingestion

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: No hazard in normal industrial use. Harmful if inhaled.

Skin Contact: No hazard in normal industrial use.

Skin Absorption: No absorption hazard in normal industrial use. Causes skin irritation.

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:

Eye Contact: Can cause minor irritation, tearing and reddening. Can cause irritation. **Ingestion Irritation:** No hazard in normal industrial use. Irritating to mouth, throat, and stomach.

Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability:No data availableMobility in soil:No data availableOther adverse effects (such asNo data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component		Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
1	No data available			

13. Disposal considerations

Description of waste residues: Spent or discarded material is non-hazardous according to

environmental regulations.

Safe Handling of Waste: Disposal must be in accordance with applicable Federal,

State/Provincial and Local regulations.

Page 5 of 6

Product Name: XP COOL BLUE 5 GAL

Product identifier: 60-5 **Revision Date:** 04-23-2015

Replaces:

Waste treatment methods (including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

14. Transport information

UN proper shipping name: Refer to bill of lading or container label for DOT or other

transportation hazard classification, if any.

15. Regulatory information

TSCA Status: All chemicals in this product are listed, or are exempt from

listing on the TSCA Inventory.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.

Revision Date: 04-23-2015

Revision Number: 2

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances